

FRANK K. WOOD

**1,001 Prescription Drugs - Good Effects, Side Effects
and Natural Healing Alternatives**

103 CLOVER GREEN

PEACHTREE CITY, GA 30269

The pharmacies you
should NEVER get a
prescription from!

BULK RATE
U.S. POSTAGE
PAID
FC&A

“Her *DOCTOR* prescribed these two drugs that almost killed her!”

How to prevent common
prescription mix-ups and
mistakes that can harm you!

Sample A. Sample
123 Anystreet
Anytown, USA 12345

This arthritis medicine should NEVER be taken with aspirin.

Hot flashes reduced by these foods!

This common cold medicine may cause hallucinations or bizarre behavior when mixed with other medications.

This drug will relieve congestion in the nose, ears, sinuses, and throat and also make you **IRRITABLE AND CRANKY!**

Millions of dollars are spent to keep these health facts hidden from us!

New weight loss drugs - the surprising truth!

Asthma and allergy drugs interaction warning!

Heart and cholesterol drugs that should never be taken with these antibiotics!

Arthritis pain? Best natural solutions!

Much More Inside 

Frank K. Wood
FC&A Publishing
103 Clover Green
Peachtree City, GA 30269

From Frank K. Wood

Dear Customer,

What you don't know can kill you ...

There are over 1,000 prescription drugs available today. And unfortunately many people are finding out the hard way that mixing certain drugs can have deadly effects! In fact, more than 100,000 people die every year from adverse drug reactions according to the American Medical Association.

It's usually clear from your doctor or pharmacist what a drug is designed to do for you. What's NOT always clear is how that drug will interact with your body when you add other drugs to it.

For example ...

... A 74 year old woman had been taking disopyramide for a heart condition for several years without complications. But when she began taking antibiotic treatment for an ulcer, it reacted with her heart medication and almost killed her! Within 6 days she collapsed from disopyramide poisoning. And she spent two days in intensive care to correct her body's chemical imbalance! Even her doctor didn't know the risk!

Taking medication for high cholesterol?

A 83 year old woman was taking Zocor for high cholesterol and then began taking mibefradil for high blood pressure. Within three weeks, she developed muscle pain, dehydration and finally kidney failure. As a result of her drug combination, she developed Rhabdomyolysis, a serious and sometimes fatal disease that attacks your skeletal muscles!

And ...

A 73 year old man was admitted to the hospital for bruising, bleeding and fatigue. Why? He had been taking Warfarin to thin his blood and treat his heart disease. Then he began taking Lopid to help lower his
over ...

ATTENTION MEN: This common depression medication can cause breast enlargement. Page 41.

cholesterol. His blood then became so thin that even a small cut could have caused him to bleed to death.

Remember, these are examples of people who mixed two or more prescription drugs because their doctor told them to! They trusted their doctor to tell them the risk of each medication they took, and what could happen if they mixed them with other drugs. But their doctor said NOTHING!

You simply can't always trust your doctor to inform you. Because no busy person could possibly remember how over 1,000 drugs interact with each other. That's the simple, unfortunate and sad truth. (Why do you think all doctors carry malpractice insurance?)

A new book, *1,001 Prescription Drugs*, will tell you everything you need to know about every prescription drug. With each drug conveniently listed in alphabetical order by brand name as well as its pharmaceutical name, you will discover little-known facts about each drug ... how to take it ... possible side effects ... possible interactions with other drugs ... and other important information you may **never** learn from your doctor or pharmacist.

No matter how long you've been seeing your doctor, he or she simply has too many patients ... and won't always keep you out of harm's way when writing a prescription!

■ While using this **high cholesterol drug**, constant liver and kidney monitoring is a must! You may want to consider another. Page 43.

■ Don't take this **common pain killer** combination with alcohol or tranquilizers or it could do irreparable harm to your nervous system. Page 48.

■ Chewing or sucking these soft cough reliever capsules can completely deaden the nerves in your mouth and throat leading to difficulty breathing or lung collapse! Page 57.

■ If you take this beta blocker to treat high blood pressure along with another high blood pressure drug you may have a serious increase in blood pressure when you stop taking one of them. Page 51

■ Taking **antacids** along with this **antibiotic** may cause the antibiotic to be totally ineffective! Page 55.

If you go off this anxiety drug too quickly you may suffer very uncomfortable withdrawal symptoms! Page 67.

REST EASY! 1,001 Prescription Drugs gives you everything you need to know about any drug you take!

■ **WARNING!** Some people have died switching from **steroid pills or shots to this anti-inflammatory for asthma!** You must do it slowly! Page 56.

■ If you inhale this asthma drug, you are prone to fungal infections in your mouth and throat. Find out what to do to avoid them. Page 56.

■ This common cough reliever may cause hallucinations or bizarre behavior if mixed with other medications! Page 57.

■ People who use this common **Parkinson's drug** and an anti-depressant must BE CAREFUL! You can become severely dehydrated very quickly! Page 58.

■ Don't use this medication to relieve eye pressure if you have kidney problems -- it can make it worse! Page 61.

■ If you need to relieve congestion in the nose, ears, sinuses, and throat this drug will help -- but it will also make you irritable and cranky. Page 63.

You'll get the most up-to-date, easy-to-understand information on the 1,001 most frequently prescribed drugs!

■ Don't take this **anti-depressant** at night -- it might keep you awake. Page 66.

■ While taking this **drug to reduce excess fluid due to heart failure or liver or kidney disease** -- weigh yourself daily or you can lose too much and get even sicker. Page 66.

■ **DANGER!** If you go off this drug that promotes sleep and eases anxiety too quickly, you may suffer nightmares, insomnia, anxiety, dizziness or nausea. If you are addicted to it and quit taking it too suddenly you may suffer delirium, convulsions or even death! Page 68.

■ People taking this **common pain killer** who also have suicidal tendencies could be in grave danger! Page 68.

If you have trouble performing seemingly simple tasks, it could be because of this decongestant that causes lack of coordination. Page 52.

■ **WARNING:** If you take this **pain killer** AND an **anticoagulant**, you risk bleeding to death from any small cut! Page 70.

■ Little-known secret: Take this hormone to treat Paget's disease at night to prevent nausea and flushing. Page 71.

■ This **beta blocker for high blood pressure** may interfere with insulin if you are a diabetic. Find out what to do on page 77.

You will have the latest information to keep you and your loved ones safe and healthy!

■ Don't take this **antibiotic** if you have impaired kidney function or gastrointestinal disease. Page 80.

■ You may get a false-positive urine glucose test while using this **antibiotic**. Page 81.

■ BLEEDING DANGER: This antibiotic for ear, lung, skin and bone infections could depress your immune system and leave you open to fever, sore throat, tiredness, weakness, bruising and unusual bleeding. Page 83.

■ CHROMOSOMAL DAMAGE: This drug for certain types of cancer can cause chromosomal damage and sterility. Get the facts *before* you take it. Page 86.

■ Be cautious when using this **drug for serious eye infections**. It is very dangerous and may cause your bone marrow to stop producing enough red blood cells and can lead to serious, even deadly, complications. Page 86.

■ TOOTH DAMAGE: Be careful with this antibacterial drug to treat gingivitis, it may ruin your teeth. Page 87.

■ DIABETICS: This **drug to treat type II diabetes** encourages your pancreas to secrete more insulin, but be careful, you will also be at a higher risk of developing fatal heart problems. Page 89.

Get life-saving drug interaction information for weight loss, asthma, arthritis, high blood pressure, anxiety,

The longer you take this popular osteoarthritis drug the more likely you are to suffer from burning or gnawing stomach problems or vomiting. Page 82.

heart disease, impotence and many more drugs!

■ Taking this diuretic to treat high blood pressure and fluid retention along with lithium can cause lithium to accumulate in toxic levels in your body. Page 90.

■ **MUSCLE PAIN RELIEVER WARNING:** Never mix this one with alcohol, tranquilizers, muscle relaxants or antihistamines. It could dangerously depress your nervous system. Page 91.

■ DO NOT use this muscle spasm reliever if you have an overactive thyroid, heart arrhythmias, heart failure or are recovering from a heart attack! Page 105.

■ Be sure to take lots of fluids and fiber to avoid severe constipation while taking this **high blood pressure medication**. Page 91.

■ **HEARTBURN?** See the long list of medications on page 93 you absolutely CANNOT take while using this very **popular heartburn medication**.

■ Using this antibiotic for lower respiratory infections will increase the effects of caffeine, the asthma drug theophylline and the anticoagulant warfarin. Page 94.

■ **Heartburn Sufferers:** This drug used to treat nighttime heartburn can cause serious, even fatal heart rhythm disturbances when used with any of 9 different and popular medications. See page 95.

Don't take another prescription drug
until you know the facts in this book!

■ Taking this medication for infection of the skin, lungs and digestive system will irritate your throat if you don't take it with water. Page 97.

■ If you develop diarrhea while taking this **acne medicine**, don't take anti-diarrheal drugs, it will make your diarrhea even worse. Page 98.

■ Follow these special instructions when using this drug for **controlling muscle spasms** caused by exercise, toxins and pollutants. It

If you're over 60 and taking this popular 12 hour antihistamine, you're more likely to feel dizzy, sedated and have low blood pressure. Page 97.

will make it much more effective! Page 104.

■ Mixing this medication to lower high blood pressure with other blood pressure medications will lower it too much. Page 90.

■ Do NOT use this immune-suppressant for many various transplants together with the anticonvulsant Dilantin. Page 107.

■ Never drink grapefruit while taking this **anti-rejection drug**. Page 107.

■ Using this drug to treat bacterial infections of the eye can lead to glaucoma, cataracts or other serious eye damage if used for too long. Page 111.

■ **This arthritis drug should never be taken with aspirin.** Page 112.

■ If you take this **ulcer medication** together with warfarin, your risk of serious bleeding increases dramatically. Page 114.

Many FDA-approved drugs are NOT safe! Get the facts before you take any drug or you may pay with your life!

■ This ulcer and arthritis drug will have severe consequences for women who are pregnant or plan to become pregnant! Page 115.

■ Don't take this **congestive heart failure drug** if you have cardiovascular or thyroid problems. Page 118.

■ **DIARRHEA?** There are 17 likely side effects that will make you feel worse when using this common **anti-diarrheal** drug! Page 121.

■ WARNING: This popular **antibiotic** dangerously interacts with 16 different other drugs. Page 122.

■ **Drinking alcohol while on this medication** puts you at serious risk for a heart attack or death. Page 124.

■ WARNING: This drug used to lower eye pressure is likely to trigger allergies even if you've never had them! Page 127.

This drug relieves mild to moderate pain and treats inflammation of arthritis ... BUT it also causes bleeding stomach ulcers and liver damage in many people. Page 117.

■ You are very likely to experience a "first dose" effect of fainting or losing consciousness when taking this **high blood pressure** drug. Page 128.

■ DIABETICS: This **high blood pressure** drug may make diabetes worse. Page 206.

■ Cysts can develop on the ovaries when using this nasal spray for **endometriosis**. Page 242.

■ Your skin may become extra sensitive to sunlight and could lead to severe sunburn while taking this **anti-inflammatory for arthritis**. Page 262.

[1,001 Prescription Drugs also contains a guide to all-natural healing alternatives that are safe and effective!](#)

■ People who take this vitamin, an antioxidant, are 3 times less likely to have their **arthritis** get worse. Page 357.

■ ARTHRITIS SUFFERERS: These 4 oils, not contained in food, will ease **arthritis inflammation**. Page 358.

■ These 7 foods are the most common "triggers" for asthma. Avoid them and you'll suffer less. Page 359.

■ Apply this to your aching back and receive fast, soothing relief. Page 363.

■ One of the best cures for **bronchitis** is to do this several times a day. Page 364.

■ This soft, sweet confection contains a tacky gel that coats and soothes the throat to reduce coughing. Page 366.

■ Adding this vitamin to your daily regimen has proven to be critical in beating **depression**. Page 368.

■ Women who eat more of this food are less likely to develop dia-

HIGH BLOOD PRESSURE? Eat this delicious fruit. Page 374.

betes. Page 370.

- This herb has done a very effective job of **washing away throbbing headaches** for over 2,000 years! Page 372.
- A spice that may prevent 8 types of **cancer**. Page 364.
- Arthritis pain? Natural solutions that work. Page 357.
- 6 natural **anxiety reducers**. Page 356.
- FLU improvement 200% faster with this herb. Page 367.
- Migraine prevention and relief by sniffing this scent. Page 372.
- Adding this to your food will lower your cholesterol significantly. Page 377.

Send no money! Return the card for FREE 30 day trial!

Like most people, you use prescription drugs on a regular basis. And as long as you continue, you DON'T want to be without this valuable book! Knowing everything about the medications you take could save your life!

Send no money now! Simply return the No Risk Preview Form today and I'll ship this must-have book immediately.

IT IS YOURS TO USE FREE FOR 30 DAYS. If you're not completely satisfied, simply return it and pay nothing. You'll also receive a free bonus gift if you reply in the next 12 days. Don't wait -- reply now!

Sincerely,

Frank K. Wood

Frank K. Wood

P.S. Remember, **1,001 Prescription Drugs** is yours to use **FREE** for 30 days. It will give you all the critical information you need, before taking any drug, that your doctor or pharmacist may not tell you! Mail your Preview Form right now. **Plus ... reply within 12 days and get a free gift!**